## Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A coating composition comprising:

A (meth) acrylic resin (A) having a hydroxyl group, which is obtained by copolymerizing a mixture having for its essential components a polycaprolactone-modified hydroxyalkyl (meth) acrylate and a different hydroxyl-group containing (meth) acrylate, [[and]] a polyisocyanate compound (B) having a plurality of isocyanate groups, and

a lactone polyol (C) having three or more hydroxyl groups; wherein the hydroxyl group of the hydroxyl group-containing (meth) acrylate is a primary hydroxyl group, and the hydroxyl number of the (meth) acrylic resin (A) is 125 to 145.

- 2. (Original) The coating composition according to claim 1, wherein the average value of the number of caprolactone repetitive units in the polycaprolactone-modified hydroxyalkyl (meth) acrylate is 1 to 3.
- 3. (Previously Presented) The coating composition according to claim 1, wherein the polycaprolactone-modified hydroxyalkyl (meth) acrylate is a polycaprolactone-modified hydroxyalkyl acrylate.
- 4. (Previously Presented) The coating composition according to claim 1, wherein a monomer having a cyclic backbone is contained in the monomer mixture, and the monomer having a cyclic backbone is contained at 10% by mass or less in the monomer mixture.

- 5. (Canceled)
- 6. (Previously Presented) The coating composition according to claim 1, wherein the acid number of the (meth) acrylic resin (A) is 30 mg KOH/g or less.
- 7. (Currently Amended) A coated article comprising:

a material having a surface with a coating including a (meth) acrylic resin (A) having a hydroxyl group, which is obtained by copolymerizing a mixture having for its essential components a polycaprolactone-modified hydroxyalkyl (meth) acrylate and a different hydroxyl-group containing (meth) acrylate, [[and]]

a polyisocyanate compound (B) having a plurality of isocyanate groups, and a lactone polyol (C) having three or more hydroxyl groups;

wherein the hydroxyl group of the hydroxyl group-containing (meth) acrylate is a primary hydroxyl group, and the hydroxyl number of the (meth) acrylic resin (A) is 125 to 145 and curing to form a coated film on the surface of the coated material.

- 8. (New) The coating composition according to claim 1, wherein the isocyanate groups of the polyisocyanate compound (B) are liberated isocyanate groups.
- 9. (New) The coated article according to claim 7, wherein the isocyanate groups of the polyisocyanate compound (B) are liberated isocyanate groups.